

# Linear actuator PA-L-100/200-S

### **Technical Data**













Input voltage 24 V DC

Nominal current 1.0

Running speed 4.4

IP code IP54

Switch on duration 30

#### **MOUNTING POSITIONS**

























## **TECHNICAL DATA**

Matchcode PA-L-100/200-S
Article name Linear actuator

Article name Linear actuator PA-L-100/200-S
Part number M2 2421 S

Input voltage 24 V DC Nominal current 1.0

Input voltage range -15 % / +15 % Networked standby -15 % / +15 %

Stroke200Push force1000Pull force1000Nominal locking force1000

Cut-Off integrated electronic overload cut-off

Running speed 4.4
IP code IP54
Switch on duration 30

Mounting way aufgesetzt Weight 1.45

Housing End-to-end aluminium profile tube, anodized in

587

42

36

E6/EV1 with integrated retainer for flexible

Housing type Aluminium
Colour On request

Housing length
Housing height
Diameter
Appliance class

Connection cable SICO PLUG connection. Excluding connection

cable / set.



# Linear actuator PA-L-100/200-S

Nominal working temperature Environment temperature range Brackets included Customs tariff no 20 -5 °C - 75 °C nein 84798997

| ACCESSORIES      |                   |  |
|------------------|-------------------|--|
| Part no.         | Matchcode         |  |
| K2 1501          | OK                |  |
| <u>K2 1502</u>   | DAS               |  |
| <u>K2 1505 A</u> | <u>UKU-740</u>    |  |
| <u>K2 1506</u>   | AW 100-6          |  |
| <u>K2 1506 A</u> | AW 100-6-A        |  |
| <u>K2 1507 A</u> | <u>AW 150-6</u>   |  |
| <u>K2 1507 B</u> | AW 150-6-A        |  |
| K2 1519 A        | AW 250-6          |  |
| K2 1539          | <u>HK-L</u>       |  |
| <u>K2 1562</u>   | <u>UK-L</u>       |  |
| <u>K2 1563</u>   | <u>K-L-UK-J</u>   |  |
| K2 2004          | PA-ANL-3m         |  |
| K2 2005          | PA-ANL-5m         |  |
| K2 2006          | PA-ANL-+Ifm       |  |
| K2 2007          | PA-SICO-SET-3m    |  |
| K2 2008          | PA-SICO-SET-5m    |  |
| K2 2009          | PA-SICO-SET-+Ifm  |  |
| SD1 8522         | SICO-LINK-Adapter |  |
| SD1 8525         | SICO-PLUCKER      |  |